

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
1	Page 1 / Volume 1	1.1.2 of NIT - Key details	Date & Time of Submission of Tender 07.12.2015 at 15:00 hrs.	Request 28 days extension.	Please refer extended date of submission in Addendum-2, which shall be adhered to.
2	Page 6 / Volume 1	1.1.3.3 of NIT - Bid capacity Criteria	B= Value of existing commitments (as on 30.11.2015) for on-going construction works during period of 24 months w.e.f. 01.12.2015	Being a listed Organisation, the certificate by Chartered Accountant is available on quarterly basis upto 2nd quarter of 2015-2016 and not till 30th November 2015. This would have an effect in calculating the bid-capacity criteria. Please advise if we could produce the Value of Balance Work yet to be done as on 30.09.2015 along with the value of work done in the period 1st October 2014 to 30th November 2015 at the time of Tender submission.	Not agreed. Please follow tender conditions.
3	Page 13/ Volume 1	C24.3 of ITT	The Tenderer is requested to submit any question in writing or by facsimile, to reach the employer not later than the last date of seeking clarification as mentioned in key details of NIT	Request to accept the queries till 2 weeks before the date of submission and provide all responses a week before submission.	Not agreed. Please follow tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
4	Page 27 / Volume 1	Annexure 4 of ITT	<p><b>Minimum Organization structure required:</b></p> <ul style="list-style-type: none"> <li>-Project Manager - Graduate in Civil Engg.</li> <li>-Dy. Project Manager(Launching) - Graduate in Civil Engg./Mechanical Engg.</li> <li>-Design Engineer / Structural Engineer /Geo-technical Engineer - Graduate in concerned Disciplines.</li> <li>-Planning Engineer - Graduate in Civil Engg. With knowledge in MS project /Primavera software.</li> <li>-Interface Manager - Graduate in Civil Engg.</li> </ul>	<p><b>Kindly change the clause as follows :</b></p> <ul style="list-style-type: none"> <li>-Project Manager - Graduate / Diploma in Civil Engg.</li> <li>-Dy. Project Manager (Launching) - Graduate / Diploma in Civil Engg. / Mechanical Engg.</li> <li>-Design Engineer / Structural Engineer /Geo-technical Engineer - Graduate / Diploma in concerned Disciplines</li> <li>-Planning Engineer - Graduate / Diploma in Civil Engg. With knowledge in MS Project or Primavera software.</li> <li>-Interface Manager - Graduate or Diploma in Civil Engg.</li> </ul>	Not agreed. Please follow tender conditions.
5	Page 25 & 27 / Volume 1	Annexure 3 & 4	<p>Resources proposed for the Project Personnel:</p> <p>As per the Annexure 3 – Resources proposed for the project – Personnel and Annexure 4 Minimum Organization structure required.</p>	Please confirm whether the CV's have to be provided at the Tender stage or post award.	CVs have to be provided at the Tender stage.
6	Page 28 / Volume 1	Annexure 5 / S.No (a)	<p>Resources proposed for the Project – Plant &amp; Equipments:</p> <p>Piling Equipment Rotary Rig.</p>	Request to increase the Maximum permissible age from 5 years to 10 years.	Not agreed. Please follow tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
7	Page 32 Volume 1 Form of Tender	Sr. No 5 of Annexure 7 (Form of Performance Security (Guarantee) by Bank)	After the Contractor has signed the aforementioned Contract with the Employer, the Bank is engaged to pay the Employer, any amount up to and inclusive of the aforementioned full amount upon written order from the Employer to indemnify the Employer for any liability of damage resulting from any defects or shortcomings of the Contractor or the debts he may have incurred to any parties involved in ..... .....	Request to rephrase as follows: After the Contractor has signed the aforementioned Contract with the Employer, the Bank is engaged to pay the Employer, any amount up to and inclusive of the aforementioned full amount upon written order from the Employer to indemnify the Employer for any liability of damage resulting from any defects or shortcomings ..... ..... .....	Not agreed. Please follow tender conditions.
8	Page 32 Volume 1 Form of Tender	Sr. No 7 of Annexure 7 (Form of Performance Security (Guarantee) by Bank)	At any time during the period in which this Guarantee is still valid, if the Employer agrees to grant a time extension to the Contractor or if the Contractor fails to complete the Works within the time of completion as stated in the Contract, or fails to discharge himself of the liability or damages or debts as stated under Para 5, above, ..... .....	Request to rephrase as follows: At any time during the period in which this Guarantee is still valid, if the Employer agrees to grant a time extension to the Contractor or if the Contractor fails to complete the Works within the time of completion as stated in the Contract, or fails to discharge himself of the liability or damages or debts as stated under Para 5, above, the Bank may extend this Guarantee under the same conditions for the required time on demand by the Employer and at the cost and written request of the Contractor.	Not agreed. Please follow tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
9	Page 3 Volume 1 Form of Tender	Form of Tender (Appendix – 1) & CL:8.5 of the GCC	Liquidated damages:  Total Maximum limit of LD including sums payable by the employer to designated contractors is 15% as mentioned in GCC.	Request to revise maximum limit of LD to 10% instead of 15%.	No change in tender conditions.
10	Page 3 Volume 1 Form of Tender	Form of Tender (Appendix – 1) & CL:8.5 of the GCC	Liquidated damages:  The Maximum limit of Liquidated damages on Key Dates shall be 10 % of total the Contract Value	Request to limit to maximum 5% instead of 10%.	No change in tender conditions.
11	Page 3 Volume 1 Form of Tender	Form of Tender (Appendix – 1) & CL:8.5 of the GCC	Liquidated damages:  Liquidated damages shall be levied as per the rate given in Appendix 2B of Employer Requirements for delay.	If the Contractor achieves the final completion and handing-over within the contractual milestones, request the Employer to refund the Liquidated Damages if any levied against any intermediate milestone.	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
12	Page 20 Volume 1 Form of Tender	Appendix 16 of Form of Tender	<ul style="list-style-type: none"> <li>• Value of Balance Work yet to be done in Rupee equivalent as on 30.11.2015</li> <li>• Value of work to be done in 2015-16 (1st December 2015 to 31st March 2015)</li> </ul>	<p>Being a listed Organisation, the certificate by Chartered Accountant is available on quarterly basis upto 2nd quarter of 2015-2016 and not till 30th November 2015. This would have an effect in calculating the bid-capacity criteria.</p> <p>Please advise if we could produce the Value of Balance Work yet to be done as on 30.09.2015 along with the value of work done in the period 1st October 2014 to 30th November 2015 at the time of Tender submission.</p>	Not agreed. Please follow tender conditions.
13	Page 11/ Volume 2 GCC	Clause 1.6 of General Conditions of Contract	<p>Care and Supply of Construction and/or Manufacture Documents:</p> <p>Last Paragraph: On discovery of any technical error or defect in a document intended to be used for the purpose of Contract, the Contractor shall promptly give notice to the Engineer of such error or defect.</p>	<p>In case if the technical error or defect is substantial, then Contractor shall be allowed for suitable time and cost compensation. Please consider to provide appropriate provision in the contract.</p>	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
14	Page 12 & 13 / Volume 2 GCC	Clause 2.2 of General Conditions of Contract	<p>Access to and Possession of the Site:</p> <p>Last Paragraph: For any such delay in handing over of site, Contractors will be entitled to only reasonable extension of time and no monetary claims whatsoever shall be paid or entertained on this account.</p>	<p>As per earlier experience, we have observed that claims due to delay in possession of site is being experienced at most of the projects. Therefore request to provide provision for suitable cost compensation in the contract if the delay incurred is totally unreasonable and unfair and cannot be foreseen by any experienced Contractor.</p>	No change in tender conditions.
15	Page 13 / Volume 2 GCC	Clause 2.3 of General Conditions of Contract	<p>Permits, Licenses or Approvals:</p> <p>It shall be Contractor's exclusive responsibility to get approvals, permits or license required for the Contract. However, the Employer may (where he is in a position to do so) provide reasonable assistance to Contractor at the request and cost of the Contractor in getting Permits, License or Approvals required during the Contract. The rendering of such assistance by the Employer shall not be interpreted as a pretext by the Contractor .....</p> <p>.....</p> <p>.....</p>	<p>Please confirm that any delays as a result of obtaining approvals / permits / licences from any authorities that are beyond the control of the Contractor shall not be considered as non-performance.</p>	Existing tender condition is self explanatory. No further clarification is required.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
16	Page 15 / Volume 2 GCC	Clause 4.2.1 of General Conditions of Contract	<p>Performance Security Amount:</p> <p>(i) Within 30 days of receipt of the Letter of Acceptance, the successful Tenderer shall furnish Performance Security in the form of a Bank Guarantee from a branch in India of a scheduled foreign bank or from a scheduled commercial bank in India acceptable to the Employer for an amount of ten percent of the Contract value in all types and proportions of currencies in which the Contract Price is payable.....</p>	Please consider 5% of the Contract Price as the Performance Security	No change in tender conditions.
17	Page 17 / Volume 2 GCC	Clause 4.4 (b) of General Conditions of Contract	<p>Facilities for and co-ordination with Others:</p> <p>Unless and until copies of all relevant and necessary design co-ordination statements have been submitted to the Engineer, the Engineer shall be entitled to suspend any review or further review of the Contractor's or the other contractor's design submissions. Such suspension shall not be grounds for the Contractor to claim nor shall be entitled to receive an extension of time or additional payments.</p>	<p>The Contractor cannot be held responsible for the failure of other Contractors design co-ordination / design submission activities. Please provide some provision for suitable time and cost compensation for delays not attributable to Contractor.</p>	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
18	Page 18 / Volume 2 GCC	Clause 4.4 (f & g) of General Conditions of Contract	<p>Facilities for and co-ordination with Others:</p> <p>f) The Contractor shall afford all reasonable opportunities, for carrying out their work, to other contractors employed by the Employer .....</p> <p>g) If the Contractor shall suffer delay by reason of failure by any Designated Contractor to meet the specified installation interfacing and co-ordination, completion dates, which delay .....</p> <p>.....</p>	<p>In addition to time, suitable cost compensation shall also be provided in case of any delay not attributable to the Contractor. Request to modify the clause accordingly.</p>	No change in tender conditions.
19	Page 19 / Volume 2 GCC	Clause 4.4 of General Conditions of Contract	<p>Facilities for and co-ordination with Others:</p> <p>Last Paragraph: If any act or omission of the Contractor whether directly or indirectly results in the delay in the execution of the works of a Designated Contractor, the Contractor in addition to his liability in respect of liquidated damages.....</p> <p>.....</p>	<p>Please link this Clause with that of Clause 8.5 so that the max LD is limited to 10% (as requested in the aforementioned Query No.09)</p>	No change in tender conditions.



**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
20	Page 21 / Volume 2 GCC	Clause 4.11 of General Conditions of Contract	<p>Access Route: The Contractor shall be deemed to have satisfied himself as to the suitability and availability of the access routes he chooses to use.....</p> <p>The Employer will not be responsible for any claims which may arise from the use or otherwise of any access route. ....</p>	Request to consider compensation in case of delays caused due to non-availability of continuous access.	No change in tender conditions.
21	Page 21 / Volume 2 GCC	Clause 4.12 of General Conditions of Contract	<p>Right of Way and Facilities: The Employer will acquire and provide land for Permanent works and right of way (within DMRC's land) for access thereto over routes established by the Contractor. .....</p>	<ul style="list-style-type: none"> <li>• Please provide the expected date/schedule of handing over of land and right of way to the Contractor for permanent works (ROW). In case of any delay, then Contractor has to be suitably compensated in time and cost.</li> <li>• Please confirm the 'Width of right of way available during the construction of viaduct.</li> </ul>	No change in tender conditions.
22	Page 23 / Volume 2 GCC	Clause 4.17 of General Conditions of Contract	<p>Protection of Environment: The Contractor shall take all reasonable steps to protect the environment (both on and off the site) .....The Contractor shall ensure that air emissions, surface discharges and effluent from the Site during the Contract Period shall not exceed the values prescribed by law. The Contractor shall.....</p>	Protection of the environment shall be limited to within Site premises only as the Contractor could not be held responsible for Environmental impacts in outside the site locations. Please modify the clause accordingly.	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
23	Page 24 / Volume 2 GCC	Clause 4.21 of General Conditions of Contract	<p>Sheds, Stores, Yards:</p> <p>It shall be the responsibility of the Contractor to provide at his own expense the required sheds, store houses, and yards for both Permanent and Temporary Works and provide free access to the Engineer and the Engineer's Representative who will have right of inspection including that of instructing the Contractor to remove a particular material from the stores and not to use the same on the Works.</p>	<p>Please clarify, if any expected date of handing over of the plot and in case of any delay, then Contractor has to be suitably compensated in time and cost.</p>	<p>The existing condition is self explanatory.</p>
24	Page 25 / Volume 2 GCC	Clause 4.27 of General Conditions of Contract	<p>Security of the site:</p> <p>The Contractor shall be wholly responsible for security of site and Works. Unless otherwise stated in Special Conditions of Contract</p> <p>a) the Contractor shall be responsible for keeping unauthorized persons off the Site; and</p> <p>b) Authorized persons shall be limited to the Employees of the Contractor, Subcontractor or persons authorized by the Engineer.</p>	<p>Request to consider sharing of various cost incurred by civil contractor in case of services used by designated system wide contractor.</p>	<p>Please follow tender conditions.</p>

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
25	Page 38 / Volume 2 GCC	Clause 8.3 of General Conditions of Contract	<p>Delay:</p> <p>In case of delay on the part of the Contractor, the Contractor shall be liable to pay liquidated damages and any other compensation for the damages suffered by the Employer as per clause 8.5. This is without prejudice to the right of the Employer to rescind the Contract.</p> <p>Failure or delay by the Employer or the Engineer, to hand over to the Contractor the Site necessary for execution of Works or any part of the works, or to give necessary notice to commence the Works, or to provide necessary Drawings .....</p> <p>.....</p>	<p>There is provision only for compensation of time and not cost. The Contractor should be compensated for costs arising due to delays not attributable to the Contractor.</p>	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
26	Page 42 / Volume 2 GCC	Clause 9.2 of General Conditions of Contract	<p>Taking over of Parts of the Works:</p> <p>The Engineer may, at the sole discretion of the Employer issue a Taking Over Certificate for any part of the Permanent Works by following the procedure stipulated in Clause 9.1 above if:</p> <p>(a) the Employer uses that part of the Works for revenue service before the Taking Over Certificate is issued for the entire work.</p> <p>(b) the balance part is not completed not due to the fault of the contractor and contractual date of completion for the completed part is over.</p>	<p>In case of Part taking over, the Defect Liability Period has to be accounted for the said section from the date of its Taking over.</p> <p>Please Clarify</p>	Please follow the existing tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
27	Page 44 / Volume 2 GCC	Clause 11.1.1 of General Conditions of Contract	<p>i) Unless otherwise stated in the Special Conditions of Contract, the Contract Price subject any to any adjustment thereto in accordance with the Contract shall be all inclusive (including all taxes, duties, royalties, etc.) except Value Added Tax (VAT) paid under Delhi VAT act 2005 where work is done in Delhi. Value added Tax (VAT) paid under other State Govt VAT act if work is done in that State.</p> <p>ii) Nothing extra shall be payable over the quoted rates, notwithstanding any provision to the contrary in any law for the time being in force, save and except what is specifically provided in General or Special Conditions of Contract.</p>	Please clarify as per Special Conditions of Contract, Sr.No.17, VAT is also to be included in the rate.	SCC Clause 17 is self explanatory.
28	Page 3 / Volume-1 & Page – 45/ Volume-2	Form of Tender (Appendix – 1) & 11.2.1 of General Conditions of Contract	As per clause No.20 of SCC- 5% of the original contact value considered as a mobilization advance	Request amending the mobilisation advance to 10% instead of 5%.	No change in tender conditions.
29	Page – 45/ Volume-2 GCC	Clause 11.2.1 of General Conditions of Contract “Correction Slip No.03	The Bank Guarantee for “Mobilization advance” shall be 110% of the advance amount taken by the Contractor	Request to amend the value of BG towards Mobilization Advance to be for 100% and not 110% of value of advance taken.	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
30	Page – 45/ Volume-2 GCC	Clause 11.2.2 of General Conditions of Contract	5% of the original contract value considered as a P&M advance	Request to increase P&M advance to 10% of Overall accepted contract value instead of 5% of contract value	No change in tender conditions.
31	Page – 46/ Volume-2 GCC	Clause 11.2.5 of General Conditions of Contract	Should there be delay in the progress and completion of work, as a result of which it is not possible to recover the advance and interest thereon, before the date of completion stipulated in the Contract, then the interest to be charged from the Contractor on the remaining portion of the advance beyond the original completion date specified in the Contract, shall be the State Bank of India prime lending Rate plus 2% per annum or 10% per annum whichever is higher.	We request you to consider the period of approved extension period as well beyond the original Contract period before they start recovering for the same.	No change in tender conditions.
32	Page – 46/ Volume-2 GCC	Clause 11.3.3 of General Conditions of Contract	(c) In case of provisional payment against Materials, the amount consumed every month shall be recovered from the next months on account bill and completing the recovery in 3 monthly instalments. In case recovery could not be made due to any reason, interest will be charged as per clause 11.2.5	Please consider the interest free for Recovery of Advances in said clause, in case recovery could not be made to any such reasonable reasons	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
33	Page – 47/ Volume-2 GCC	Clause 11.4.1 of General Conditions of Contract	If any Milestone is not achieved by the end of the month in which it is scheduled to be achieved, the Engineer shall suspend the payment relating to the Cost centre in which the Milestone is included. Payments suspended under this Clause shall be resumed by being included in the next application for interim payment made after the Milestone is achieved.	Suspension of payment due to Milestone non-achievement should not be carried out if; the same is not due to reasons attributable to the Contractor. Please modify the clause accordingly.	No change in tender conditions.
34	Page – 48/ Volume-2 GCC	Clause 11.6 of General Conditions of Contract	After Preliminary Scrutiny and certification by the engineer, payment of 80% of the certified interim amount shall be made by the employer within 14 days	We request to consider payment of 80% of the certified interim amount within 7 days from the date of submission of monthly invoice.	No change in tender conditions.
35	Page – 51/ Volume-2 GCC	Clause 11.20 of General Conditions of Contract	All damages (including, without limitation, liquidated damages), costs, charges, expenses, debts, or sums for which the Contractor is liable to the Employer under any provision of the Contract may be deducted by the Employer from monies due to the Contractor under the Contract (including, without limitation, liquidated damages) and the Employer shall have the power to recover any balance not so deducted from monies due to the Contractor under any other Contract between the Employer and the Contractor.....	Please confirm: 1. The damages mentioned will be limited to liquidated damages only and not to be “without limitation”. 2. Any recovery will be carried out within the purview of this Contract and not be combined with other Contracts.	Clause is self explanatory.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
36	Page – 53/ Volume-2 GCC	Clause 12.5 (ii) b of General Conditions of Contract	In case of foundation work, no variation limit applies and contractor shall carry out the work, at rates stipulated in the Contract irrespective of any variation	Foundation being a lumpsum amount, we understand that the quantity variation shall not be applicable. However, if there is any variation in location and/or number of piers which would result in variation in scope of sub-structure, variation must be paid for foundation in such cases. Request to include this condition as a Clause in Special Conditions of Contract.	No change in tender conditions.
37	Page – 57/ Volume-2 GCC	Clause 13.3.5 of General Conditions of Contract	In case termination/ foreclosure of the Contract under whatsoever circumstances, any remaining tools, plants, equipment and surplus materials of Employer with contractor will be returned to the Employer in good condition at Employer's depot at Contractor's cost. In case of the failure .... .....	As per Sr. No. 10, Page No.7 of Special Conditions of Contract, Sub-clause 4.19, the Employer will not provide any machinery or materials under this Contract. Hence, request to delete this clause from this contract.	No change in tender conditions.



**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
38	Page – 60/ Volume-2 GCC	Clause 15.3 of General Conditions of Contract	The Contractor shall insure against liability to third parties in the joint names of the Employer, the Contractor and Sub-contractors, (wherever applicable) for any loss, damage, death or bodily injury which may occur to any physical property (except things insured under Sub-Clause 15.2) or to any person (except persons insured under Sub-Clause 15.4), which may arise out of the performance of the Contract and occurring before the issue of the Performance Certificate. Such insurance shall be at least for the amount specified in the Appendix to Form of Tender. As per S.N. ix, Form of Tender – Appendix – 1 Amount of Third Party Insurance – INR 0.50 Million for any one incident, with no. of incidents Unlimited.	Please consider having limitation for the number of incidents (say 4 nos.). For any further incidences, then the same shall be suitably compensated by the Employer.	No change in tender conditions.
39	Page – 2/ Volume-3 Employer's Requirements	Clause 7	The Key Dates are defined in Appendix 2B to these Employer's Requirements -104 weeks	in line with the short duration for prior investigation for the project, request to revise the project duration to 128 weeks. Request to amend the key dates as per Annexure 1 of Prebid Query document.	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
40	Page – 3/ Volume-2 SCC	Sub-Clause 4.13 of Special Conditions of Contract	..... Consent by the Engineer to a works Programme shall not relieve the contractor of any of his duties or responsibilities under the Contract, nor in the event that a works programme indicates that a key date has not or will not be met, constitute any form of acknowledgement that the contractor is or may be entitled to an extension of time in relation to such key date or a milestone .....	If the particular work has not been completed by the contractor as per the programme, but the contractor can complete the work without any delay or extension of time as whole, then Employer should not consider as a delay damages for any intermediate key dates. Please consider changing the conditions.	No change in tender conditions.
41	Page – 2&3/ Volume-2 SCC	Sub-Clause 4.11 of Special Conditions of Contract	Paragraph 2, Second sentence: If there is any delay or damage or injury, the cost of rectification or reconstruction of highways or bridges shall be borne by the Contractor.	The Contractor shall be responsible for any delay or damage, if it occurs due to reasons attributable to the Contractor. If not attributable to the Contractor, the Contractor shall be suitably compensated in time and cost. Please change the clause accordingly.	No change in tender conditions.
42	Page – 10/ Volume-2 SCC	Sub-Clause 5.3 of Special Conditions of Contract	Last Paragraph: Neither an objection raised to the Design Data nor revisions of minor design significance under this Clause will, under any circumstances, constitute an Employer's Variation.	In case of any substantial delay in approval of design data, then suitable time and cost compensation has to be provided to the Contractor. Request to modify the clause accordingly.	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
43	Page – 11/ Volume-2 SCC	Sub-Clause 8.5 of Special Conditions of Contract	The total contract value used in the GCC sub clause 8.5 for the purpose of levy of liquidated damages on failure to achieve key dates shall mean the 'Fixed Lump Sum Contract Price'.	As per BOQ, for only Schedule A, the Lump sum price has to be quoted and the rest are Item Rate. Therefore, please clarify that the above said "Fixed Lump Sum Contract Price" means Lump Sum price at Schedule "A" only.	No change in tender conditions.
44	Page – 11/ Volume-2 SCC	Sub-Clause 11.1.4 of Special Conditions of Contract	Change in law means the occurrence or coming into force of the following, at any time the date of submission of tender. A) any new tax which is imposed after the due date of submission of tender B) change in the rate of any existing tax. The contractor price shall not be adjusted due to any of the above two conditions	Request to consider compensation for variations resulting from change in law as escalation does not cover all component of change in law (especially since GST may get implemented from 01st April 2016 impact cannot be predicted at this stage).	No change in tender conditions.
45	Page – 12 & 13/ Volume-2 SCC	Sub-Clause 11.1.3 of Special Conditions of Contract	Wfo= whole sale price index (Average) for fuel & power, as published in the RBI bulletins for the month in which the tender was opened	Request to follow IOCL bulletins instead of RBI bulletins (a prevalent practice in Government and major contracts)	No change in tender conditions.
46	Page – 14/ Volume-2 SCC	Sub-Clause 19.1 of Special Conditions of Contract	Second Paragraph: It shall, however be open to the Engineer to accept price variation clause in such cases where the rates are not based on actual and work is likely to continue for more than one year.	Please confirm that the varied / deviated items being operated under BOQ rates / prices are eligible for considering price variation (as they are not based on actual cost inputs).	Clause is self explanatory.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
47	Page – 15/ Volume-2 SCC	Sub-Clause 19.3 of Special Conditions of Contract	<p>The price adjustment as worked out above i.e. either increase or decrease will be applicable up to the stipulated date of completion of the work.....</p> <p>..... :</p> <p>In case the indices increase above the indices applicable to a bill made on the last date of original completion period or the extended period under Sub-clauses 8.4.1 of GCC, the price adjustment for the period of extension under Sub-Clause 8.4.3 of GCC will be limited to .....</p>	<p>In case the indices increase above the indices applicable to a bill made on the last date of original completion period or the extended period, the payable amount should not be limited. Please change the conditions accordingly</p>	No change in tender conditions.
48	Page – 15/ Volume-2 SCC	Sub-Clause 11.2.2 of Special Conditions of Contract	<p>The total advance for Plant and Machinery shall be limited to 5% of the fixed Lump Sum price quoted in Schedule 'A' of BOQ/Price document and shall be paid against 12 acceptable Bank Guarantees of equal amount from a Schedule Commercial Bank of India.</p>	<p>In place of 12 acceptable bank guarantees, hypothecation may be allowed for availing advance towards Plant &amp; Machinery</p>	No change in tender conditions.
49	Page – 15/ Volume-2 SCC	Sub-Clause 12.3 of Special Conditions of Contract	<p>Paragraph 1: Changes to any sequence, method or timing of construction, manufacture or installation and changes to any part of the Site or the Works Areas or access thereto will not constitute Employer's Variation.</p>	<p>In case the change in sequence was occurred due to reasons not attributable to the Contractor, then Contractor shall be suitably compensated for time and cost. Request to modify the clause accordingly.</p>	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
50	Page – 16/ Volume-2 SCC	Sub-Clause 12.3 of Special Conditions of Contract	(c) If the Engineer withdraws the request for an Employer's Variation, the Contractor shall have no claim of any kind whatsoever arising out of the amount determined above. In case the Employer's Variation involves omission of part of the Works, the agreement shall address the issue of reduction in the Contract Price.	If the Engineer withdraws a Variation after substantial works are executed for the same, then suitable time and cost compensation has to be provided to the Contractor. Please change the clause accordingly. Also the mechanism to be adopted while omission of part of the Works is not clearly available in the documents. Please add a suitable sub-clause.	No change in tender conditions.
51	Page – 17/ Volume-2 SCC	Sub-Clause 11.2.6 of Special Conditions of Contract	Interest to be charged from the contractor on the remaining portion of advance beyond the completion date specified in the contract, shall be 2% above State Bank of India Base rate or 10% whichever is higher.	The Contractor should be compensated for any delays that occurred due to reasons not attributable to the Contractor, in case of recovery of any advances paid earlier. Please modify the clause accordingly.	Not agreed. However, the clause is modified. Please refer Addendum No. 3.
52	Page – 23/ Volume-3 Employer's Requirements	Clause 2.7	Construction Depot & Dumping Area:  A Plot of Land of Approx. 30000 sq.m. within 10 Km radius of work site.	Please provide the Location & Dimensions of the specified Casting Yard.	Location & Dimensions of the specified Casting Yard will be provided at contract administration stage.
53	Page – 23/ Volume-3 Employer's Requirements	Clause 2.7	Geo Tech Report of Construction Depot:  A Plot of Land of Approx. 30000 sq.m. within 10 Km radius of work site.	Please provide the Geo-Tech report of the specified Casting Yard.	Location & Dimensions of the specified Casting Yard will be provided after award of work. Geo-Tech. investigation shall be done by the contractor.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
54	Page – 23/ Volume-3 Employer's Requirements	Clause 2.7	Dumping Area	Please provide the Location & details of the dumping yard	Location & Dimensions of the dumping yard will be provided at contract administration stage.
55	Volume-5 Tender Drawings	General	Scanned Copy of Drawings	Please provide the Better quality drawing in PDF & CAD format.	Alignment GADs & Architectural drawings in Auto Cad format issued in Addendum-2 and/or Addendum-3, as applicable.
56	Volume-6 BOQ	General	.....	Excel file of BOQ.  Please provide the Better quality PDF of Bill of quantities.	The Price Bid / Financial Package has already been provided in excel format. Tenderer shall quote their price in the given excel sheet only. No pdf of BOQ is required.
57	Page 62/ Volume-3 Employer's Requirements	Appendix 2B	Viaduct: Key Date 9 Partial access of the viaduct (minimum 1.75 km in one stretch) for laying of track	Our Understanding is that 1.75 Kms in one stretch is excluding station lengths, Please clarify?	No, it shall be inclusive of station length.
58	Page 13/ Volume-3 Employer's Requirements	Clause 2.1.2.vi	750V dc 3rd rail current collection system  'material and labour' for any additional reinforcement on this account shall be payable extra as an Employer's variation.	Our understanding is that Construction of the 3rd rail current collection system is not in contractor's scope. Please clarify ?	Please refer Clause 2.1.7 (d) of Scope of Work under Employers Requirements - Functional (Vol. 3) which is self explanatory.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
59	Page 26/ Volume-3 Employer's Requirements	Clause 2.12 /4 (4)	Construction Limits:  The limits of land as shown in the right of way survey drawings.....	Please Clarify the minimum ROW will be provided during viaduct construction	The clause is self explanatory.
60	Page 64/ Volume-4 Technical Specifications	Clause 4.8 (12)	Erection of Formwork:  In station zone it shall be ensured of minimum 2 lanes of Traffic with restricted height of 4.5m	Please Clarify whether the same guidelines can be followed in viaduct zones for Viaduct Portals.	This is applicable for 'Station Zone ' only.
61	Volume-6 BOQ	Clause V-1.5 of Annexure-I of Schedule 'A'	Fabrication / casting of Steel Spans/ special spans -4%	Please specify the location of mandatory Steel spans / special spans in the alignment (If Any).	The design and construction of viaduct is in the scope of contractor and if such requirement arises as per actual site conditions at contract administration stage, then this item will be operated. Otherwise this item will be suitably distributed among items of Head 'V' of Annexure-I of Schedule A of BOQ.
62	Page 60/ Volume-4 Technical Specifications	Clause S.04/4.2	Form Work:  For Designated areas prominently in public view only steel shuttering shall be used	Please confirm whether Ply & timber formwork confirming to IRC87/IS14687 can be used for designated areas prominently in public view.	Please follow tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
63	Page 13/ Volume-3 Employer's Requirements	2.1.2.v	Sharper Curve spans Radius < 200m: Spans shall also be constructed by using pre-cast / cast-in-situ box girder of the same shape as those of segmental box girders proposed for standard spans.	For spans of Radius of curvature 122m at Chainage 2023 to 2083m, please clarify whether precast 'I' Girders can be used?	Please follow tender conditions.
64	Volume-5 Tender Drawings	.....	Drawing List Railway Station East - Ground Level Drawing No. AMCC-TEN-RSE-002-R0	Please provide the drawing no. AMCC-TEN-RSE-002-R0	Please refer Addendum-3
65	Page 14/ Volume-3 Employer's Requirements	2.1.2.xxx	Canal Details:  The alignment is passing over canals between chainages 1500.00 & 1700.00 and 2100.00 & 2200.00 as indicated in GAD No. DMRC/DBDCPRR-2/PNBTBP/GAD/2015 Sheet No. 4 of 19	Please provide the Hydrology details (HFL, LWL, GL, Cross Section, Discharge etc.) of the canals between the chainages 1500.00 & 1700.00 and 2100.00 & 2200.00.	These will be arranged by tenderers / contractor from appropriate authority.
66	Page 12/ Volume-3 Employer's Requirements	2.1.2	.....	Scope of End Point Pier:  Please clarify whether design & construction of pier at chainage 6.577 kms (End Point) is Contractor's scope	Please refer Clause 2.1.2 (xxiii) of Employer's Requirements (Functional).
67	Volume-5 Tender Drawings	Sheet 4 & 5 of 19	Shaded Areas:  2RS-19, 2RS-20, 2RS-21, 2RS-22	Please clarify the purpose of shaded portions in the GAD.	These shaded portions show the land to be acquired.



**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
68	Volume-5 Tender Drawings	GAD: Sheet 4 of 19	Railway Station East: C/L of station Chainage: 1528.3m	Please clarify whether the station C/L can be changed since about 44.5m out of 140m station is over the canal. (Since shifting of C/L away from canal will directly impact reduction in construction cost of 4 floor station)	Not agreed. Please follow tender conditions.
69	Volume-5 Tender Drawings	GAD: Sheet 10 & 19 of 19	Ground Level mentioned as 999m	Please provide the Ground level for chaigages 5800 to 5880.	Please refer GADs in Auto Cad format issued with Addendum-2 and/or Addendum-3, as applicable.
70	Volume-5 Tender Drawings	DMRC/design/AMCC/S V-152	Box Girder Stacking	Please provide the maximum allowable tier of Box-Girder segment stacking.	This requirement shall be assessed by the contractor.
71	Volume-5 Tender Drawings	General	Utilities	Please provide the Utilities drawing for Chartered Utilities. with list of non-divertible utilities	Please refer Clause 2.1.7 (a) of Emplyer's Requirement (Functional) which is self explanatory.
72	Page 13/ Volume-3 Employer's Requirements	Clause 2.1.2.iv	Siding:  Standard spans for Viaduct / Siding shall be in the range of 19m to 37m.	Please Clarify the location of siding in the GAD with start & End chainage.	Please refer GADs
73	Volume-3 Employer's Requirements	.....	Employer's Requirements - Design  Cantilever pier cap	Please clarify the maximum eccentricity that can be provided for cantilever piercap.	It shall be 2 m.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
74	Volume-5 Tender Drawings	.....	Tender Drawings: Alignment GAD Sheet 19 of 19:  Cross over	Please provide the location / chaingaes of crossover in the alignment drawing.	Please refer GADs.
75	Volume-4 Technical Specifications	Section S.05 5.1.2	Reinforcement bars to be provided with coating of Truncated Inhibited cement slurry for non-aggressive environments	Please clarify whether the corrosion protection to be provided throughout the alignment including viaduct & station structures	The Clause is self explanatory.
76	Page 14/ Volume-3 Employer's Requirements	Clause 2.1.2.xxvii	Cast-in-situ spans:  At some locations tenderer may have to do cast-in-situ construction for the viaduct depending on the site constraints.	Please clarify whether any Cast-in-situ span locations are to be provided mandatorily? (Like sharper curvature spans)	Clause is self explanatory.
77	Page 26/ Volume-3 Employer's Requirements	Clause 2.12/4 (4)	Construction Limits: The limits of land as shown in the right of way survey drawings	Please provide the ROW during construction of Ramavarapadu Ring station at the road-junction location.	Ramavarapadu Ring station does not pertain to this Contract.  However, referred Clause is self explanatory.
78	Page 26/ Volume-3 Employer's Requirements	Clause 2.12.4	Station Insertion Level Plan (All Stations):	Please provide the status of Land acquisition for Entry & Exit structures of all the stations? (Since all Entry & Exit structures are over existing buildings/ private property)	Please refer Clause 2.2 of GCC.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
79	Volume-5 Tender Drawings	Station Drawings	Entry & Exit structures	Please provide the architectural drawing of passage connecting Entry/Exit structures with station building.	Please refer architectural drawings in Auto Cad format issued with Addendum-2 and/or Addendum-3, as applicable.
80	Page 26/ Volume-3 Employer's Requirements	Clause 2.12.4	Construction Limits: The limits of land as shown in the right of way survey drawings	Please provide the right of way survey drawings.	Please refer GADs.
81	Volume-5/ Tender Drawings	General	Future Underpass/ Flyover:	Please clarify whether any Planned future underpass/Flyover structures may cross the alignment during construction duration. Please provide the details if any?	No underpass/Flyover structures is planned to be crossed the alignment in future.
82	Page 12/ Volume-3 Employer's Requirements	Clause 2.0	Scope of Works	Please clarify that design & construction of Pandit Nehru Bus station and Railway station South station is in this scope or not.	Pandit Nehru Bus station and Railway station South station are not in the present scope of this work.
83	Page 17/ Volume-3 Employer's Requirements	Clause 2.0	Scope of Works	It is mentioned that civil works required for third rail fixing the structures are under the scope of contractor. Kindly provide the typical third rail arrangement.	Please refer Clause 2.1.3 (iv) and 2.1.7 (d) of Employers Requirement - Functional, which are self explanatory.
84	Page 15/ Volume-3 Employer's Requirements	Clause 2.1.2 (xiv)	Scope of Works: Grooves on the parapets	Please provide the groove details in the parapet.	Please follow tender drawings of superstructure.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
85	Page 14/ Volume-3 Employer's Requirements	Cl: 2.1.2 (xxii)	Employer's Requirements (Functional) -Scope of Works:  The work also includes the construction of piers and pier caps at the start and end of station area.	Please provide load and span details of the Start & End piers of package.	The adjacent span shall be considered as of 31 m and load shall be worked out accordingly. Any change from 31 m at the time of execution shall be adjusted through variation.
86	Page 13/ Volume-3 Employer's Requirements	Cl: 2.1.2 (iv)	Employer's Requirements (Functional) -  Standard span in the range of 19m to 37m	Please clarify that the design scope of standard spans 19m to 37m is not in contractor scope.	Clause is self explanatory.
87	Page 13/ Volume-3 Employer's Requirements	Cl: 2.1.2 - Notes	Employer's Requirements (Functional) -	Please clarify if rectangular/square piers can be adopted.	Clause is self explanatory.
88	Volume-5 Tender Drawings	.....	Alignment Drawings	Please provide the crossover locations in alignment if any.	Please refer GADs
89	Volume-5 Tender Drawings	.....	Alignment Drawings	Please provide the GAD of Cross over span.	Please refer GADs
90	Volume-5 Tender Drawings	.....	Alignment Drawings	Please provide the pocket track locations in alignment if any.	Please refer GADs
91	Volume-5 Tender Drawings	.....	Alignment Drawings	Please provide the details of divertible and non-divertible utilities.	Please refer Clause 2.1.7 (a) of Employer's Requirements (Functional), which is self explanatory.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
92	Volume-5 Tender Drawings	.....	Alignment drawings DMRC/DBD/CORR-2/PNBT-BP/GAD/2015 Sheet no: 18 OF 19 and 10 OF19.	In mentioned drawings, Ground levels are mentioned as 999.0. Please provide the correct Ground level details for Pier height calculations.	Please refer GADs in Auto Cad format issued with Addendum-2 and/or Addendum-3, as applicable.
93	Volume-4 DBR	Clause 2.5.2 (Page 15/38)	Design Basis Report (Stations)	In station DBR is it mentioned as Seismic Zone-III, but PES DBR, it is given as Zone-II in Page no:35. Please clarify.	The project site falls in Seismic Zone-III.
94	Volume-4 DBR	Clause 5	Design Basis Report (Viaduct)	Super imposed loads (SIDL) values are not given in DBR. Please provide specific values.	Refer Clause 5.2, which is self explanatory.
95	Volume-4 DBR	Clause 5.15	Design Basis Report (Viaduct)	Please provide buffer loads for end pier to consider.	Will be decided at detailed design stage.
96	Volume-4 DBR	Clause 5.16	Design Basis Report (Viaduct)	Please provide LWR forces to be consider for design.	Will be decided at detailed design stage.
97	Volume-4 DBR	.....	Design Basis Report (Viaduct)	Please provide hydrological reports of existing canals along alignment for taking the design considerations.	These will be arranged by tenderers / contractor from appropriate authority.
98	Volume-4 DBR	Clause 5.5 (Page No. 10)	Design Basis Report (Viaduct) -  The value of braking and traction forces will be taken as per rolling stock used, to be decided by Metro.	Please provide the braking and traction forces to be consider for design.	Shall be taken into consideration as per DBR and relevant codes.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
99	Volume-5 Tender Drawings	.....	Alignment Drawings	Please provide us the alignment drawings in ACAD format to help in fixing span arrangement.	Alignment GADs in Auto Cad format have been made available in Addendum-2 and/or Addendum-3, as applicable.
100	Volume-5 Tender Drawings	.....	.....	Provide us the utility mapping drawing in ACAD format to form up the span configuration.	Please refer Clause 2.1.7 (a) of Employer's Requirements (Functional).
101	Volume-5 Tender Drawings	.....	.....	Please provide us the cable duct drawing.	Please refer tender drawings of super structure.
102	Volume-4 DBR	.....	Design Basis Report	As per tender document, CDA is to be taken as per IRS bridge rules. However, in other metros, same is taken as 1.20 for longitudinal analysis and 1.67 for transverse design. Please confirm.	Please follow tender conditions.
103	Volume-4 DBR	.....	Design Basis Report	RDSO guidelines as well as IRC: 6 provide different values of Response reduction factor for estimating seismic effects depending on choice with or without ductile detailing. Please confirm whether designs without ductility provisions shall be accepted if appropriate value response reduction factors are used.	Please follow tender conditions.
104	Volume-5 Tender Drawings	.....	Tender Drawings	Please provide us the tender drawings in soft copy in Autocad format.	Alignment GADs and Architectural Drawings in Auto Cad format have been issued with Addendum-2 and/or Addendum-3, as applicable.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
105	Volume-4 DBR	.....	Design Basis Report	Please provide us the value of % increase in allowable pile capacity in LWR combinations.	This shall be as per DBR and relevant codes.
106	Volume-4 DBR	.....	Design Basis Report	Please provide us the value of % increase in allowable pile capacity in seismic combination.	This shall be as per DBR and relevant codes.
107	Page 13/ Volume-3 Employer's Requirements	Cl: 2.1.2 (vi & vii)	Employer's Requirements (Functional) -Scope of Works:  Third rail system for traction to Rolling stocks.	It is understood that third rail system is followed for traction to Rolling stocks. But in parapet drawings, OHE mast is mentioned. Please clarify.	Third rail system shall be followed for traction to Rolling stocks. Please refer Clause 2.1.3 (iv) and 2.1.7 (d) of Employers Requirement - Fuctional, which are self explanatory.
108	Page 14/ Volume-3 Employer's Requirements	Clause: 2.1.2 (xvi)	Employer's Requirements (Functional) -Scope of Works:  Track Plinth Inserts.	Please provide the drawing for Track plinth inserts.	Please refer tender drawing no. DMRC Design/AMCC/SV-720 for typical details.
109	Volume-5 Tender Drawings	.....	Architectural Drawings	In the station drawings, the viaduct is shown as I-girders. Can we provide different type of station viaduct like Box girder. Please confirm.	Design is in the scope of the contractor.
110	Volume-4 DBR	Clause 2.8	Design Basis Report (Stations)	In Viaduct DBR, it is mentioned as 17t axle load but in stations, there are two axles loads 16t & 17t. Please clarify.	Axle load shall be 17t.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
111	Volume-5 Tender Drawings	.....	Alignment Drawings	Please provide us the obligatory span locations if any.	Please refer Clause 2.1.2 (i) & 2.1.2 (iii) of Employer's Requirements (Functional) and note that span configuration is in the scope of the contractor.
112	Volume-5 Tender Drawings	Sheet 10 to 19	Alignment Drawings: Dwg. No. DMRC/DBD/CORR-2/PNBT-BP/GAD/2015	PDF Drawings of the alignment are given. Kindly provide AUTOCAD Drawings, if available.	Alignment GADs in Auto Cad format have been provided with Addendum-2 and/or Addendum-3, as applicable.
113	Volume-5 Tender Drawings	Sheet 10 to 19	Alignment Drawings: Dwg. No. DMRC/DBD/CORR-2/PNBT-BP/GAD/2015	Coordinates and Grids are not marked in the alignment drawings. Kindly provide drawings with coordinates / grids marked.	Please refer Clause 2.1.2 (i) of Employer's Requirements (Functional). Necessary Coordinates and Grids shall be worked out by the contractor.
114	Volume-7 Geotechnical Investigation Report	.....	Boreholes	Please provide the chainage and the ground levels of the boreholes conducted.	Please refer Clause 2.1.2 (i) of Employer's Requirements (Functional). Necessary soil investigation is in the scope of contractor.
115	Volume-7 Geotechnical Investigation Report	.....	Boreholes	No borehole data is available at the stations Gunadala, Prasadam Padu, Enikepadu, Nidamanuru and the viaduct portion in between Ramakrishna weigh bridge – Enikepadu. Kindly arrange to provide the data.	Please refer Clause 2.1.2 (i) of Employer's Requirements (Functional). Necessary soil investigation is in the scope of contractor.



**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
116	Volume-7 Geotechnical Investigation Report	.....	Lab Test Results & Pile Calculations: Shear Strength Properties	The lab test results are showing very less c, phi values even for soils with very good SPT 'N' values, which is highly unlikely. The design calculations are also based on inconsistent c, phi values which are leading to very low pile capacities. It is recommended for the consultants to review and correct the same.	Please refer Clause B2.1 of ITT which clearly stipulates that the Geotechnical Investigation report is indicative only. Detailed soil investigation is in the scope of contractor.
117	Volume-4	Clause 5.2	Structural Design Basis Report: Foundation Pile Capacity - Coefficient of earth pressure shall be taken as 1.	As per IS 2911_1_2 (2010), for phi varying between 30 and 40 degrees, K values can range from 1 to 1.5. This will have an impact on the pile lengths and capacities.	Please follow tender conditions.
118	Volume-7 Geotechnical Investigation Report	.....	Type of Rock	Please provide description of the type of the rock encountered in the boreholes.	Please refer Clause 2.1.2 (i) of Employer's Requirements (Functional). Necessary soil investigation is in the scope of contractor.
119	Chainage 1523.3	.....	Site Visit	Railway Station East- Entry & Exit boundaries fouls with the existing Railway Superintendant Officer Building (G+2) and Govt. Hospital Mortuary (G+2), please provide a key date schedule for handing over of property within ROW for stations inorder to carry out dismantling of existing structures and construction of metro rail works.	Please refer Clause 2.1.2 (xxviii) of Employer's Requirements (Functional) and Clause 2.2 of GCC.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
120	Chainage 1627 & 2139	.....	Site Visit	Chainage 1627 - people live in and around the canal bund, please clarify whether the relocation of people and providing land for construction of metro rail works is in Employer's scope.	Yes, please refer amended Clause 2.1.2 (xxviii) of Employer's Requirements (Functional) in Addendum-3.
121	Chainage 1627 & 2139	.....	Site Visit	During construction of metro works segment feeding and other construction works, bunds need to be protected please clarify whether the bund protection is in Employer's scope.	Protection of bunds (as per site requirement) is in the scope of contractor. Please refer Clause 2.1.2 (xxx) of Employer's Requirements (Functional), which is self explanatory.
122	Chainage 1627 & 2139	.....	Site Visit	If bund protection is in contractor's scope, please provide the relevant hydrological data and HFL for the canals crossing our alignment.	These will be arranged by tenderers / contractor from appropriate authority .
123	Chainage 1655	.....	Site Visit	Portal piers fouling to the existing statues, please clarify whether the relocation of statue is in Employer's scope.	Designing of span configuration is in the scope of the contractor. Please refer Clauses 2.1.2 (i) and 2.1.7 a. of Employer's Requirements (Functional).
124	Chainage 2023	.....	Site Visit	Near Ilapuram Hotel, please clarify on the land acquisition status for metro construction works.	Please refer Clause 2.2 of GCC.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
125	Chainage 2200 to 2300	.....	Site Visit	Existing clothes shops fouling with the proposed metro alignment. Please provide a key date schedule for handing over of property within ROW for stations inorder to carry out dismantling of existing structures and construction of metro rail works.	Please refer Clause 2.2 of GCC.
126	Chainage 2450.6	.....	Site Visit	Railway Station East- Entry & Exit boundaries fouls with the existing Building (G+3) and (G+0), please provide a key date schedule for handing over of property within ROW for stations inorder to carry out dismantling of existing structures and construction of metro rail works.	Please refer Clause 2.1.2 (xxviii) of Employer's Requirements (Functional) and Clause 2.2 of GCC.
127	Chainage 3527	.....	Site Visit	Sri Sathya Sai Mandir- Entry & Exit boundaries fouls with the existing Indian Oil Petrol bunk, please provide a key date schedule for handing over of property within ROW for stations inorder to carry out dismantling of existing structures and construction of metro rail works.	Please refer Clause 2.1.2 (xxviii) of Employer's Requirements (Functional) and Clause 2.2 of GCC.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
128	Chainage 3550	.....	Site Visit	Proposed station span piers fouls to the existing road junction, movement of traffic will get affected during construction of station pier arms, please suggest that station location can be shifted to avoid encroachment of station over the traffic junction.	Yes, please refer amended Clause 2.1.2 (xxviii) of Employer's Requirements (Functional) in Addendum-3.
129	Chainage 4334.6	.....	Site Visit	SRR Govt. College- Entry & Exit boundaries fouls to the existing G+4 building, please provide a key date schedule for handing over of property within ROW for stations inorder to carry out dismantling of existing structures and construction of metro rail works.	Please refer Clause 2.1.2 (xxviii) of Employer's Requirements (Functional) and Clause 2.2 of GCC.
130	Chainage 4985	.....	Site Visit	Existing temple encroached the road, please clarify the possibility of relocation of temple.	In this connection, please refer to amended Clause 2.1.2 (xxviii) issued with Addendum-3
131	Chainage 5715.1	.....	Site Visit	City Cancer Hospital- Entry & Exit boundaries fouls to the existing houses G+3 & G+2, please provide a key date schedule for handing over of property within ROW for stations inorder to carry out dismantling of existing structures and construction of metro rail works.	Please refer Clause 2.1.2 (xxviii) of Employer's Requirements (Functional) and Clause 2.2 of GCC.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-1</b>					
<b>S. No.</b>	<b>Ref. Tender Document / Page No.</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
132	Volume-3 Employer's Requirements	Clause 2.1.10	Traffic Management/Site Visit:  Two land traffic to be maintained.	Along the alignment existing most of the roads are four laned. During construction of on road stations/viaduct, it is difficult to maintain two lane road width after barricading. Please clarify if contractor can maintain single lane traffic after barricading.	Please refer Clause 2.1.10 of Employer's Requirements (Functional).
133	.....	.....	Site Visit	Existing Overhead electrical lines/HT Lines fouling to the proposed boundaries of viaduct and station, Please clarify whether the diversion of electrical line/HT lines under employer's scope.	Please refer Clause 2.1.7 (a) of Scope of Work under Employers Requirements - Functional (Vol. 3), which is self explanatory.
134	Volume-5 Tender Drawings	Sheet 4 to 19	Alignment Drawings	At change 1940, pier height as per alignment drawing 7.368, it doesn't meet the minimum height requirement of 5.5 m to be maintained please clarify on the correctness of the data.	Please refer Clause 2.1.2 (ii) of Employers Requirements - Functional (Vol. 3), which is self explanatory.
135	.....	.....	Site Visit	Existing Lamp posts found at the road median/edges, which fouls the proposed boundaries of viaduct/stations, these Lamp posts required to clear for Metrorail construction works, please clarify the removal of Lamp posts under employer's Scope?	Please refer Clause 2.1.7 (a) of Scope of Work under Employers Requirements - Functional (Vol. 3), which is self explanatory.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
1	Vol. 1 /NIT	NIT – Page -2, 1.1.3.1 Eligible Applicants - iv	A firm, who has purchased the tender document in their name, can submit the tender either as individual firm or in joint venture/Consortium. However, the lead partner in case of JV shall be one who has experience of viaduct/ bridge/flyover.	Please confirm that the tender Purchased by other partner (Not Lead Partner) individual can also submit the tender in JV with Lead Partner. Please confirm that no online registration is required of JV for Purchase & Submission of Tender jointly. Any Partner either other Partner or Lead Partner can do registration & submission of Tender on behalf of JV. Since in Qualification criteria all partners combined have to meet the financial & technical criteria for qualification therefore please allow any partner in JV can become a Lead Partner.	(i) Tender can be purchased by any one of the substantial members (members having percentage partnership 26% or more) of JV/consortium. (ii) Registration can be done in tenderwizard by any one of the substantial members of JV/consortium. However, submission of tender on behalf of JV/consortium shall be done by using Class-III digital signatures of authorised signatory of JV/consortium in whose favour power of attorney is submitted to submit the tender on behalf of JV / consortium.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
2	Vol. 1 /NIT	NIT – Page -4, B. Financial Standing: T1 – Liquidity	<p>The banking reference should be from a Scheduled Bank in India or (in case of foreign parties) from an international bank of repute acceptable to DMRC and it should not be more than 3 months old as on date of submission of bids.</p> <p>In Case of JV- Requirement of liquidity is to be distributed between members as per their percentage participation and every member should satisfy the minimum requirement.</p>	<p>In Case of JV- Requirement of liquidity as required can be fulfilled by any one partner of JV.</p> <p>The 100 % liquidity requirement can be met by any one Partner in JV may be Indian or Foreign origin, in such case if it is provide by Indian partner in JV with Foreign collaboration then it will be ease for DMRC in banking reference.</p> <p>If the above is not acceptable please provide detail of international bank from China which are acceptable to DMRC.</p>	<p>No change in tender conditions.</p> <p>Clause 1.1.3.2 B (i) of NIT is self explanatory with regards to banking reference.</p>
3	Vol. 1 /ITT	ITT C2.2 Page -5 b	Appendix 1 to the Form of Tender; Contract Conditions	We presumed that it is only to be submitted by Lead Partner of the JV	All the appendices to FOT and corresponding documents as mentioned under Clause C2.2 of ITT shall be submitted by the tenderer duly signed by authorised sigatory of the tenderer on behalf of the tenderer.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
4	Vol. 1 /ITT	ITT C2.2 d Page -5	Appendix 3 to the Form of Tender: Outline Quality Plan (see paragraph C4 below)	We presumed that it is only to be submitted by Lead Partner of the JV	All the appendices to FOT and corresponding documents as mentioned under Clause C2.2 of ITT shall be submitted by the tenderer duly signed by authorised signatory of the tenderer on behalf of the tenderer.
5	Vol. 1 /ITT	ITT C2.2 e Page -5	Appendix 4 to the Form of Tender: Outline Safety, Health & Environment Plan (see paragraph C5)	We presumed that it is only to be submitted by Lead Partner of the JV	All the appendices to FOT and corresponding documents as mentioned under Clause C2.2 of ITT shall be submitted by the tenderer duly signed by authorised signatory of the tenderer on behalf of the tenderer.
6	Vol. 1 /ITT	ITT C2.2 f Page -5	Appendix 5 to the Form of Tender: Contractor's Technical Proposals (see para C6)	We presumed that it is only to be submitted by Lead Partner of the JV	All the appendices to FOT and corresponding documents as mentioned under Clause C2.2 of ITT shall be submitted by the tenderer duly signed by authorised signatory of the tenderer on behalf of the tenderer.



**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
7	Vol. 1 /ITT	ITT C2.2 h Page -5	Appendix 7 to the Form of Tender: Staffing Schedules and organisation Chart (see paragraph C12)	We presumed that it is only to be submitted by Lead Partner of the JV	All the appendices to FOT and corresponding documents as mentioned under Clause C2.2 of ITT shall be submitted by the tenderer duly signed by authorised signatory of the tenderer on behalf of the tenderer.
8	Vol. 1 /ITT	ITT C2.2 i Page -5	Appendix 8 to the Form of Tender: Schedule of Component manufactured offshore, if any. If no offshore manufacturing is involved, the tenderer shall submit 'NIL' in this. (See paragraph C9)	We presumed that it is only to be submitted by Lead Partner of the JV	All the appendices to FOT and corresponding documents as mentioned under Clause C2.2 of ITT shall be submitted by the tenderer duly signed by authorised signatory of the tenderer on behalf of the tenderer.
9	Vol. 1 /ITT	ITT C2.2 k Page -5	Appendix 10 Recourses proposed for the project – plants and equipments	We presumed that it is only to be submitted by Lead Partner of the JV	All the appendices to FOT and corresponding documents as mentioned under Clause C2.2 of ITT shall be submitted by the tenderer duly signed by authorised signatory of the tenderer on behalf of the tenderer.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
10	Vol. 1 /ITT	ITT C2.2 o Page -5	Appendix 14 to the Form of Tender Tentative project implementation programme (see paragraph C8)	We presumed that it is only to be submitted by Lead Partner of the JV	All the appendices to FOT and corresponding documents as mentioned under Clause C2.2 of ITT shall be submitted by the tenderer duly signed by authorised sigatory of the tenderer on behalf of the tenderer.
11	Vol. 1 /ITT	ITT C2.3 Page 6	The Tenderer shall submit with his Tender the documents that are identified in paragraphs C2.3 (a) – C2.3 (i) inclusive. Such documents will be used for the purposes of evaluating and analysing the Tender but will not form part of the Contract unless the same shall have been expressly incorporated into the Contract in accordance with paragraphs B4.1 or B4.2 above.	The Lead Partner is only required to submit the credential required as per this clause. Or All Partner of the JV are required to submit the credential required as per this clause. Or The Lead Partner and other partner in JV are required to submit the credential required as per this clause as per their scope of work in the contract. Please Clarify and confirm as applicable.	All the documents required under Clause C2.3 of ITT shall be submitted by the tenderer duly signed by authorised sigatory of the tenderer on behalf of the tenderer.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
12		General	Format of Power of Attorney of Lead Member	Not available in the tender document. Please provide.	<p>The power of attorney shall be submitted in respect of authorised signatory of the tenderer who is authorised to sign &amp; submit the tender on behalf of the tenderer.</p> <p>There is no specific format of power of attorney. However, the power of attorney should conform all legal requirements as applicable and should clearly convey the authority to sign and submit the tender on behalf of the tenderer.</p>

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
13	General		Format for Power of Attorney of Single Member	Not available in the tender document. Please provide.	The power of attorney shall be submitted in respect of authorised signatory of the tenderer who is authorised to sign & submit the tender on behalf of the tenderer. There is no specific format of power of attorney. However, the power of attorney should comply Clause A4.1 of ITT, conform all legal requirements (as applicable) and should clearly convey the authority to sign and submit the tender on behalf of the tenderer.
14	General		Format for Joint Bidding Agreement	Not available in the tender document. Please provide.	There is no specific format of JV / Consortium agreement. However, the JV / Consortium agreement should comply the provisions stipulated under Clause 1.1.3.1 of NIT, should conform all legal requirements (as applicable) and should clearly convey the joint and several liabilities of all members of JV/Consortium, their percentage participation and responsibilities.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
15	Vol. 1 /ITT	ITT C2.6 Page -8 (b) last Para	<p>Change in Taxes/Duty:</p> <p>The contract price shall not be adjusted to take into account any change in taxes, duties, levies or introduction of any new tax, duty or levy till the completion date including the date of extended period of contract.</p>	<p>The contract price shall allow to take into account any change in taxes, duties, levies or introduction of any new tax, duty or levy till the completion date including the date of extended period of contract for all statutory variations which have been implement by central or state government after the bid date for submission of tender since GST is to be implemented in the coming years which will have impact in tax liability.</p> <p>Please review the same accordingly.</p>	No change in tender conditions.
16	Vol. 1 /ITT	ITT C12.3 Page -10	<p>work shall be from that member of the JV/Consortia who has the experience of similar work and on whose experience the JV/Consortia qualifies the criteria of work experience and if the JV qualifies on the credentials of work eligibility by the foreign partner, then the Project Manager deployed shall be an expatriate</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>The Project Manager to be deployed can be an individual having minimum 15 years of total experience out of which 10 years should be in projects of similar nature which can be employed from any partner of the JV.</p> <p>The Additional Bank Guarantee as required as per this clause can be provided by any partner of the JV.</p>	Clause is self explanatory.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
17	Vol. 1 /ITT	ITT C15.3 Page -11	The Tenderer is to note the Key Dates as given in Appendix – 2B of Employer’s Requirement.	Please Provide Appendix -2B as not provided with Tender document.	Please refer Appendix 2B of Appendices of Employer's requirements (Vol. 3 of tender documents).
18	Vol. 1 /ITT	ITT C27.2 Page -14	The Tenderer should submit a list of the components to be sourced from all supplier locations and show the timing of delivery, assembly, testing and transport to Delhi.	The Tenderer should submit a list of the components to be sourced from all supplier locations and show the timing of delivery, assembly, testing and transport to Vijayawada Andhra Pradesh.	Your understanding is correct.  Please refer Addendum-3 in this regard.
19	Vol. 1 /ITT	ITT D1.1 Page 14	Only ‘Tender Security’ and ‘Cost of Tender Document’ shall be submitted in originals (in physical form) as described below.	Please confirm that Power of Attorney as required are to be submitted physical in original or not by both partner of JV.  In case of Power of Attorney prepared by Foreign Partner in JV after as per clause A4.1 of ITT is required to be submitted physically or not.  Please Confirm as applicable.	Power of Attorney(s) (POA) shall be submitted as per Clause A4.1 of ITT which should be submitted under Technical Package of the tender. However, tenderer need not submit POA in physical form.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
20	Vol. 1 /ITT	ITT F5.1 Page -20	In case of joint venture/consortium, the Performance Security is to be submitted in the name of the JV / Consortium. However, splitting of the performance security (while ensuring the security is in the name of JV / Consortium) and its submission by different members of the JV / Consortium for an amount proportionate to their scope of work is also acceptable.	The Performance Security required as per this clause can be provided by any partner of the JV.	The Clause is self explanatory.
21	Vol. 1 /NIT	General (Due Date Extension)		With reference to the above, it is to inform you that we are interested to participate in the bid for above. Prior to submission of our bid, we have to carry out various activities such as estimation, BOQ rate analysis work, JV agreement preparation etc. According to the volume of work required, the time framed is very less and therefore we request you to please extend the bid due date for submission of bid for 15 days from actual date of submission.	Please refer extended date of submission in Addendum-2, which shall be adhered to.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-2</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
22	Vol. 3 /Employer's Requirements	Employer Functional Requirement Page no. 13 Clause no. 2.1.2 (viii) & (x)	<p>xiii) All foundation shall be on piles of minimum 1000 mm dia with or without permanent liners as per site requirements except at location met with rocky strata with adequate bearing capacity.....</p> <p>x) Pilecaps/Open Foundations resting at any depth depending upon the site condition shall include excavation,.....</p>	Point viii clearly specifies that all foundations are to be pile foundation while point x gives the option of open foundation please clarify.	Clause 2.1.2 (viii) of Employer's Requirements (Functional) also gives the option of open / raft foundation.
23	Vol. 3 /Employer's Requirements	Employer Functional Requirement Page no. 17 Clause no. 2.1.2 A (xxii)	xxii) Nidamanuru Station shall be 3 track station with one side and one island platform and all other stations shall be two track station with two side platforms all as indicated in tender drawings.	Nidamanuru Station shall be 3 track station so please clarify the width of station is to be 20 m or more than the stated.	Please follow tender drawings.



**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-3</b>				
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
1	Vol.3-Employer's Requirement- Clause 2.10-Page 25		<p>From the referred clause bidder understands that all the responsibilities regarding identification of utilities, shifting of the same if required, alternative span arrangement to avoid interference with the existing utilities, negotiation with concerned authority for approval, replacement of damaged sewer ,maintaining Utilities/facilities will be with contractor only.</p> <p>Bidder requests Employer for inclusion of suitable clause by which contractor will be paid compensation in terms of both time and cost for any delay in work due to presence of utilities and delay in getting permission from local authorities or change in design of substructure to accommodate utilities in substructure.</p> <p>Bidder requests Employer to specify the location of store where dismantled furnishing (Central verge/footpath) has to be handed over including distance from site. Bidder requests Employer to provide a detail plan showing underground utilities along the project alignment for proper assessment of the cost and time involvement in the project for such utilities.</p> <p>Please confirm.</p>	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-3</b>				
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
2	Vol.3-Employer's Requirement- Clause-9-(3)-Page 48		<p>Approval for traffic Mangement and control:</p> <p>In the event local Authority does not approve proposed Contractor's Traffic Management plan due to reasons not attributable to contractor and bidder suffers loss for idling of labour/machine and manpower due to stoppage of work, bidder requests Employer to clarify how contractor will be compensated for such loss. Please confirm.</p>	Existing tender conditions shall prevail. DMRC will facilitate the contractor in obtaining the permission.
3	Vol. 2 - GCC-Clause 2.2 - Page 12 of 66		<p>Access to site:</p> <p>Bidder requests Employer to modify the clause suitably such that Contractor will be compensated in terms of both time and Cost for any inordinate delay in handing over of site free of all encroachments .  Please confirm.</p>	No change in tender conditions.
4	Vol. 2 - SCC-Clause 12 - Page 8		<p>Bidder understands that Laying of Track and commissioning of the system is excluded from this work package except making some provisions for the system. Bidder requests Employer to clarify whether this clause is applicable for this contract. If the same is applicable for the project Bidder requests Employer to provide comprehensive document for Design and Construction standards to be followed during design to the satisfaction of CRS.</p>	This Clause should be read in conjunction with Clause 5.1 of GCC. Any document required in this regard will be made available at contract administration stage.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-3</b>				
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
5	Vol. 2 - GCC Cl.11.1.3 and 11.1.4 and SCC-Sub Clause 11.1.4		<p>Change in cost due to legislation:</p> <p>Employer will appreciate that it is not possible for bidder to assess the probable change in rate of taxes/duties/levies etc. and imposition of new taxes in future. As actual impact in price due to change in tax structure/imposition of new Taxes is not reflected properly in periodically published All India Price Index, bidder requests Employer to amend the GCC and SCC clause accordingly. Please confirm.</p>	No change in tender conditions.
6	Vol. 2- Price Adjustment Clause for Works Contracts-GCC Sub Clause Cl.11.1.3 Page 45 and SCC Clause-19 Page 12		<p>As the Formula and All India Price Index proposed for calculating the price adjustment on account of Increase/Decrease in price for Steel, Cement and Fuel/Lubricant does not reflect the changes in price as per actual market condition, bidder requests Employer to modify the formula suitably whereby the contract price will be subject to adjustment in price at actual in respect of rise and fall in cost of supply of various major construction materials, like Cement, Reinforcement Steel and Diesel in the form of Base Price Adjustment. The base price of cement, steel, Fuel shall be the price prevailing at 28 days prior to the latest date of submission of the bid and these base prices (star prices) shall have to be quoted by the bidder as a part of his offer. This price adjustment shall be calculated on quarterly basis. Please confirm.</p>	No change in tender conditions.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-3</b>				
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
7	Vol. 1-Notice Inviting Tender-Key Details-CI 1.1.2		Given the magnitude of work, bidder requests the Owner/Engineer to extend the Dead line for Submission of bids of the referred tender by at least 30 (Thirty) days beyond the stipulated date of 7th Dec.'2015 i.e. upto 07th Jan.'2016, since this bid entails a detailed and in-depth study of the same followed by a sizeable pretender works including but not limited to detailing of pricing in addition to coordination with various specialized agencies/vendors especially visiting site, collecting site data, material rates , preparing Design for the structures and Bill of Quantity to facilitate preparation of a competitive bid for this proposed work. Please confirm.	Please refer extended date of submission in Addendum-2, which shall be adhered to.
8	Communication Email ID and Fax No.		Bidder requests Employer to provide the Fax Number, Phone Number of the Contact Person including email ID for quicker Communication.	Correspondance regarding the tender shall be addressed to Executive Director Contracts. Fax: +91-11-23415838

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-4</b>				
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
1	.....	General	Alignment GAD in Auto Cad Format:  Request you to please provide the alignment GAD in Auto Cad format	Please refer revised / additional GADs issued with Addendum-3.  Alignment GAD in Auto Cad format issued with Addendum-2 and/or Addendum-3, as applicable.
2	.....	General	Obligatory Spans:  Request you to please provide locations of Obligatory Spans	Please refer Clause 2.1.2 (i) and 2.1.2 (iii) of Employer's Requirements (Functional) and note that span configuration is in the scope of the contractor.
3	.....	General	Depot Line: Request you to please clarify, what type of super-structure to be provided in Depot line. Will it be a segmental or 'I' girder ?	It will be combination of segmental construction and ramp. Please refer typical drawings of ramp issued with the tender documents.
4	.....	General	Due Date of tender Submission: Request you to extend the bid due date to atleast 04 weeks as the design process takes time.	Please refer extended date of submission in Addendum-2, which shall be adhered to.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-5</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
1	Vol. 3/ Employer's Requirements	Cl 2.7 of Employers Requirement- Functional	For casting yard, batching plant and other activities a plot of land of approx. 30,000 sq.m (approx) will be made available by DMRC on as is where is basis within 10 Km from the work site free of cost.	Please provide the exact location of the land to be provided to the Contractor to analyze the logistics and approaches to the project site, thus enabling us to be more specific on the quote.	A suitable land will be made available within the distance prescribed in the tender.
2				We request you to allow the contractor to use the land provided for Casting Yard, Batching plant, etc. for the Labour hutment, etc.	Not agreed
3	Vol. 3/ Employer's Requirements	Cl 2.12 (v) of Employers Requirement- Functional	Design & construction of super structure of the portion of the alignment where radius of the curve is sharper than 200m. These spans shall also be constructed by using pre-cast/cast-insitu box girder of the same shape as those of segmental box girders proposed for standard spans. However, the size of the box girder may vary as per the design requirements.	Please clarify whether is it mandatory that these special spans should be of the same shape as of the segmental box girders	The Clause is clear, no further clarification is required in this regard.
4				DMRC has mentioned that for spans <200m radius, the designs and drawings for superstructure should be submitted by the contractor. We request you to provide the GADs of curved spans	No separate GADs are required for curved spans

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-5</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
5	.....	Alignment GAD	.....	<p>Starting and Ending Pier of Each Package</p> <p>The pier number/ location at the start and end of the package - should be clearly marked in the GAD. Also, which contractor will have to construct the piers at the start and end of the package shall be spelt out clearly.</p>	<p>This is to be designed by the contractor as per the requirement of alignment.</p> <p>Please also refer Clause 2.1.2 (xxiii) of Employer's Requirements (Functional)</p>
6	.....	Alignment GAD	.....	<p>Alignment Plan in Autocad</p> <p>Soft copy (Auto CAD) drawing of the alignment may please be issued to prepare the detailed layout of piers and spans. (Shorter spans on curves)</p>	<p>Alignment GAD in Auto Cad format are available in Addendum No. 2 and/or Addendum-3, as applicable.</p>
7	.....	Alignment GAD	.....	<p>Approaches for River spans</p> <p>The viaduct crosses Eluru Canal at Ch. 1560 (approx) and Rivas Canal at Ch. Ch 2140 (approx). Please provide the details of approaches to be provided to the contractor for lifting segments at these locations?</p>	<p>The assessment of details of appropriate approaches shall be done by the contractor as per the rules / laws of concerned local authority including obtaining necessary permission in this regard etc.</p>

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-5</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
8	.....	Alignment GAD	.....	<p>Religious Structure at Ch. 8260 (approx)</p> <p>There is a Religious structure located at Ch. 8260 (approx) on the alignment. Please confirm whether this has to be relocated/dismantled, etc. If so what is the status?</p>	In this connection, please refer to amended Clause 2.1.2 (xxviii) issued with Addendum-3
9	Vol. 1 / FOT	Appendix 1 of Form of Tender	Performance Security - 10% of Contract Price	We request you to kindly reduce the Performance Security to 5% of Contract Price.	No change in tender conditions.
10	Vol. 1 / ITT	Clause C 18.1 of ITT	The Tender Security shall remain valid up to 02.08.2016	We request you to modify this as The Tender Security shall remain valid up to 180 days from Bid due date	No change in tender conditions.



**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-5</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
11	Vol. 1 / FOT	Appendix 1 of Form of Tender	(i) Liquidated damages shall be levied as per the rate given in Appendix 2B of Employer's Requirement for delay. (ii) The maximum limit of Liquidated Damages on Key Dates shall be 10% of the total Contract Value. (iii) Total maximum limit of LD including sums payable by the employer to designated contractors is 15% as mentioned in GCC.	We request you to kindly modify this clause as (i) Liquidated damages shall be levied as per the rate given in Appendix 2B of Employer's Requirement for delay. (ii) The maximum limit of Liquidated Damages on Key Dates shall be 5% of the total Contract Value. (iii) Total maximum limit of LD including sums payable by the employer to designated contractors is 10% as mentioned in GCC.	No change in tender conditions.
12	General	Design Basis Report	.....	Design Basis Report for Package I is not available. This may please be provided.	DBR for Viaduct and Elevated Stations is already available at tenderwizard.
13	General	.....	.....	Damages to the contractor in case of delay in handling over the site/RoW:  As the project is situated in the core center of the city, we request you to pay the contractor damages in case of delay of handing over of the ROW for construction.	Not agreed.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-5</b>					
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Existing Tender Clause</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
14	General	.....	.....	<p>Bonus:</p> <p>As LDs are being charged on contractor in case of any delay, we request you to kindly issue bonus in case of early completion.</p>	Not agreed.
15	General	.....	.....	<p>Use of Flyash as Cement Replacement:</p> <p>Kindly clarify whether flyash can be used as cement replacement in the concrete for Foundations, substructure and superstructure</p>	Specifications given in the tender document shall be followed.
16	General	.....	.....	<p>Encroachments:</p> <p>We have observed a lot of Encroachments. Kindly provide the status of the ROW in these locations</p>	Permission for removal of encroachments (if any) within the limits of the Contract will be obtained by the Employer.
17	General	.....	.....	<p>LA Status:</p> <p>You are requested to kindly provide the status of Land Acquisition.</p>	Land will be made available as per Clause 2.2 of GCC.
18	General	.....	Date of Submission - 07/12/2015	<p>We request you to kindly provide the bidder a minimum 4 weeks time for the submission of bid from the date of issue of prebid clarifications.</p>	Please refer extended date of submission in Addendum-2, which shall be adhered to.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-6</b>				
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
1	.....	.....	<p>Considering the tenders are Part Design and Construct basis the detailing required to be prepared and submitted for the preparation and submission of technically responsive bid the available time is very short. The proposed location of the project is in new State / Territory and lots of local inputs are required to be considered for the estimation. We therefore request you to extend the due date of submission by 60 days i.e. up to 07/02/2016.</p> <p>Further we have noted that the Contract the Contract duration is only 24 months which is too less for a viaduct and station project located on the road alignment. Request to increase the same to 36 months.</p> <p>We are still going through the tender documents, there may be additional queries especially from the Design point of view. We request you to consider the same and respond.</p>	<p>Please refer extended date of submission in Addendum-2, which shall be adhered to.</p> <p>The last date of seeking clarifications is stipulated under Clause 1.1.2 of NIT which shall be adhered to.</p>

<b>Queries of Bidder-6A</b>				
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Query / Clarifications by prospective bidders</b>	<b>Replies by DMRC</b>
1	Vol. 1/ ITT	Clause B1.1 (k), page no. 3	Volume 6 Schedule "A" & Schedule " B" is missing. Request you to kindly provide the Volume 6 for Packages AMCC-01 & AMCC-02	The tender is an e-tender. All tender document including pricing document are available on <a href="http://www.tenderwizard.com/DMRC">www.tenderwizard.com/DMRC</a>
2	Vol. 3/ Employer's Requirements	Clause 2.1.2A of Section B	Scope is not clear for Depot Connection and Ramps in Package AMCC-01. Request you to provide us the same	Ramp and Depot connection is in the scope of work. Please refer revised / additional GADs issued with Addendum-3.
3	Vol. 5	Drawings	Please provide us with Entry Exit Structure drawings with their respective locations for Packages AMCC-01 & AMCC-02	Please refer Addendum No. 3
4	Vol. 5	Drawings	As per GADs provided with Tender document for Packages AMCC-01 & AMCC-02, we do not foresee any Special Spans / Obligatory Spans. Please confirm.	Please refer Clause 2.1.2 (i) and 2.1.2 (iii) of Employer's Requirements (Functional) and note that span configuration is in the scope of the contractor.
5	Vol. 5	Drawings	Request you to kindly provide us with Autocad Drawings of the Alignment for Packages AMCC-01 & AMCC-02.	Alignment GAD in Auto Cad format is issued with Addendum-2 and/or Addendum-3, as applicable.
6	.....	.....	We are still going through the tender documents, there may be additional queries especially from the Design point of view. We request you to consider the same and respond.	The last date of seeking clarifications is stipulated under Clause 1.1.2 of NIT which shall be adhered to.

**REPLIES TO PRE-BID QUERIES  
(AMCC-02)**

<b>Queries of Bidder-7</b>				
<b>S. No.</b>	<b>Ref. Tender Document</b>	<b>Section / Clause / Page No. of Tender Document</b>	<b>Query / Clarifications by prospective bidder</b>	<b>Reply by DMRC</b>
1	.....	.....	<p>We would like to inform you that, we IECCL, very much keen to participate in the bidding process of the subject tender packages.</p> <p>Please be noted that, the time given for bid submission for two packages is not at all sufficient, as we have to do detailed site investigation, prepare detailed designs, drawings and competitive estimates etc.</p> <p>In view of above, we request you to extend the bid submission date by at least 45 days beyond the stipulated date of submission.</p> <p>Look forward for your kind consideration.</p>	<p>Please refer extended date of submission in Addendum-2, which shall be adhered to.</p>